



POWER AND PERFORMANCE FROM SEASON TO SEASON

CENTURY EVERRIDE LAWN & GARDEN EQUIPMENT BATTERIES REPRESENT THE LATEST IN SMALL ENGINE STARTING TECHNOLOGY FOR RIDE-ON MOWERS, PERSONAL WATERCRAFT, GENERATORS AND SOME SMALL CARS. BUILT TOUGH FOR AUSTRALIA'S EXTREME CLIMATE AND HARSH CONDITIONS.



CENTURY BATTERIES IS AUSTRALIA'S OLDEST AND MOST RECOGNISED BATTERY MANUFACTURER WITH A PROUD HISTORY OF DESIGNING AND MANUFACTURING BATTERIES IN AUSTRALIA SINCE 1928.

Our reputation for quality and innovation has been refined and demonstrated over many decades. In this time we have developed the manufacturing expertise and technical know-how to develop a range of batteries better suited to Australia's extreme climate and harsh conditions.

Today we pride ourselves in offering our customers a range of market leading products and services which continue to set new standards in technology and performance.



CELL LAYOUT

TERMINAL

12 Volt





Lug Terminal (LUG)





Maintenance Free Series



Developed from some of the most advanced technical resources, Century EverRide Maintenance Free batteries are designed to deliver superior starting power and performance in constant stop start applications.

- » Maintenance free design
- » Advanced technology for lower self-discharge and longer life
- » Platelock™ technology to combat vibration damage
- » Sealed design for added protection against dirt, dust and grass









Maintainable Series

Century EverRide Maintainable batteries incorporate robust internal components to deliver dependable starting power and reliable performance in constant stop start applications.

- » Low maintenance design
- » Strong, durable plates for longer life
- » Robust internal components for deeper discharge
- » Engineered to protect against acid seepage













ITEM ID	BATTERY TYPE	WARRANTY (MONTHS)†	CCA -18°C	RC @ 25°C	AH @ 20HR	↑ H ↓ ↓ ↓	– L –	TH → TH ments in	- W → mm)	• •	KG	(<u>-</u>		
						L	W	н	тн	POLARITY	WEIGHT	TERM. TYPE	HOLD DOWN	SPECIAL FEATURES
EVERRIDE														
160102	U1 MF	12	300	45	28	195	125	155	182	D	7.7	LUG	-	CH, CV, FA, MF, MR, PL, VR
160103	U1R MF	12	300	45	28	195	125	155	182	С	7.7	LUG	-	CH, CV, FA, MF, MR, PL, VR
160101	12N24-4	12	240	35	24	185	125	160	180	D	7.44	LUG	-	LM
160100	12N24-3	12	240	35	24	185	125	160	180	С	7.44	LUG	-	LM

[†]Conditions apply. Refer to individual warranty statements attached to each battery.

SPECIAL FEATURES GLOSSARY

СН	Carry Handles	LM	Low Maintenance	PL	Platelock Technology
CV	Central Venting	MF	Maintenance Free	VR	Vibration Resistant
FA	Flame Arrestor	MR	Mud Rack		

For more information on Century's range of products and services, visit www.centurybatteries.com.au







For more information contact: